

IPM19-TWK SUS

19" Touchscreen-Monitor



Overview:

- Touchscreen-Monitor
- 19" wideangledisplay (89/89/89/89)
- capacitive Multitouch, frameless
- stainless-steel-Frontpanel
- interfaces: VGA, HDMI, Audio-in
- rear clamping system or VESA 75 / 100

Description:

The IPM19-TWK-stainless-steel touchscreen monitors are used in industrial applications or information terminals. The monitors can be easily integrated into existing front panels or control consoles. Installation is carried out using a rear clamping system in a panel cut-out. This allows the monitors to be easily installed as replacement units in existing systems. Alternatively, the devices can be mounted on support arms or similar structures using the VESA mounting interface. The robust units are suitable for operation in even the harshest environments and are designed for 24-hour continuous use. They are equipped with displays offering a wide viewing angle of 89/89/89/89°, ensuring excellent readability. Power is supplied via an external power adapter. Standard interfaces include analog VGA, HDMI, and USB for the touchscreen connection. The touchscreen is available in capacitive version.

Technical Data:

equipment:

panelmonitor, 19" TFT / LCD, Touchscreen

resolution:

max. 1280x1024

Brightness:

min. 350cd/qm

Interfaces:

VGA, HDMI, Audio in
HDMI-cable included

Contrast:

1000:1

settings:

via On Screen Menü

power supply:

12 VDC via external power adapter widerange
100-240 VAC

MTBF:

Backlights min. 30000h

controls:

capacitive 10-finger multitouchscreen, frameless

Mechanical Dimensions:

robustes stainless-steel-case:

451 x 376 x 55 mm

frontplate stainless-steel: 475x 400 x 2,5 mm

environmental conditions:

operatiing temperatur 0-50°C

humidity: 10 - 80 % ,

non-condensing

protection class:

front IP 65

certificates:

CE/ FCC/ RoHS

orderinformation:


10050428 IPM19-TWK Panelmonitor
stainless-steel

IPM19-TWK SUS


19" Touchscreen-Monitor




dimensions in mm [Inch]



Front View



Bottom View




Ⓐ HDMI Ⓑ VGA Ⓒ AUDIO IN Ⓓ DC12V Ⓔ Ground Ⓕ USB for touch

① Power ② Enter ③ Up ④ Down ⑤ Menu

IPM19-TWK SUS

19" Touchscreen-Monitor



Cutout Dimension

